

The following document is Appendix 1 of the CEO guidelines for the *Fauna possessing (pet keeper's) licence* and *Fauna possessing (pet dealer's) licence*.

TABLE 1

EXEMPT – CATEGORY A SPECIES (no licence required)			
INVERTEBRATES			
All species that are not listed as threatened or specially protected			
AMPHIBIANS			
No species listed			
BIRDS			
Bar-shouldered dove	<i>Geopelia humeralis</i>	King quail	<i>Excalfactoria chinensis</i>
Bourke's parrot	<i>Neopsephotus bourkii</i> (<i>Neophema bourkii</i>)	Long-tailed finch	<i>Poephila acuticauda</i>
Brush bronzewing	<i>Phaps elegans</i>	Masked finch	<i>Poephila personata</i>
Budgerigar	<i>Melopsittacus undulatus</i>	Mulga parrot	<i>Psephotus varius</i> (<i>Platycercus varius</i>)
Chestnut-breasted mannikin	<i>Lonchura castaneothorax</i>	Painted finch	<i>Emblema pictum</i>
Cockatiel	<i>Nymphicus hollandicus</i>	Peaceful dove	<i>Geopelia striata</i>
Common bronzewing	<i>Phaps chalcoptera</i>	Pictorella mannikin	<i>Heteromunia pectoralis</i>
Crested pigeon	<i>Ocyphaps lophotes</i>	Scarlet-chested parrot	<i>Neophema splendida</i>
Diamond dove	<i>Geopelia cuneata</i>	Star finch (western)	<i>Neochmia ruficauda subclarescens</i>
Double-barred finch	<i>Stizoptera bichenovii</i> (<i>Taeniopygia bichenovii</i>)	Stubble quail	<i>Coturnix pectoralis</i>
Elegant parrot	<i>Neophema elegans</i>	Brown quail	<i>Coturnix ypsilophora</i>
Emerald dove	<i>Chalcophaps indica</i>	Twenty-eight parrot	<i>Barnardius zonarius semitorquatus</i> (<i>Platycercus zonarius semitorquatus</i>)
Galah	<i>Eolophus roseicapilla</i> (<i>Cacatua roseicapilla</i>)	Zebra finch	<i>Taeniopygia guttata</i>
REPTILES			
No species listed			

TABLE 2

STANDARD – CATEGORY B SPECIES			
AMPHIBIANS			
Magnificent tree frog	<i>Litoria splendida</i>	Western green tree frog	<i>Litoria moorei</i>
Northern green tree frog	<i>Litoria caerulea</i>	Western spotted frog	<i>Heleioporus albopunctatus</i>
BIRDS			
Adelaide rosella	<i>Platycercus elegans subadelaidae</i>	Port Lincoln parrot	<i>Barnardius zonarius zonarius</i> (<i>Platycercus zonarius zonarius</i>)
Australian king-parrot	<i>Alisterus scapularis</i>	Princess parrot	<i>Polytelis alexandrae</i>
Black-breasted button-quail	<i>Turnix melanogaster</i>	Purple-crowned lorikeet	<i>Parvipsitta porphyrocephala</i>
Black-throated finch (northern, black-rumped)	<i>Poephila cincta atropygialis</i>	Rainbow lorikeet	<i>Trichoglossus haematodus</i> (<i>Trichoglossus moluccanus</i>)
Blue bonnet	<i>Northiella haematogaster</i>	Red-backed button-quail	<i>Turnix maculosus</i>
Blue-faced parrot-finch	<i>Erythrura trichroa</i>	Red-browed finch	<i>Neochmia temporalis</i>
Blue-winged parrot	<i>Neophema chrysostoma</i>	Red-capped parrot	<i>Purpureicephalus spurius</i> (<i>Platycercus spurius</i>)
Butler's corella	<i>Cacatua pastinator derbyi</i> (<i>Cacatua pastinator butleri</i>)	Red-chested button-quail	<i>Turnix pyrrhotorax</i>
Chestnut-quilled rock-pigeon	<i>Petrophassa rufipennis</i>	Red-collared lorikeet	<i>Trichoglossus haematodus rubritorquis</i>
Cloncurry parrot	<i>Barnardius zonarius macgillivrayi</i>	Red-rumped parrot	<i>Psephotus haematonotus</i>
Crimson finch	<i>Neochmia phaeton phaeton</i>	Red-winged parrot	<i>Aprosmictus erythropterus</i>
Crimson rosella	<i>Platycercus elegans elegans</i>	Regent parrot (western)	<i>Polytelis anthopeplus anthopeplus</i> (<i>Polytelis anthopeplus westralis</i>)
Diamond firetail	<i>Stagonopleura guttata</i>	Rock parrot	<i>Neophema petrophila</i>
Eastern rosella	<i>Platycercus eximius</i>	Rose-crowed fruit-dove	<i>Ptilinopus regina</i>
Flock bronzewing	<i>Phaps histrionica</i>	Scaly-breasted lorikeet	<i>Trichoglossus chlorolepidotus</i>
Gouldian finch	<i>Erythrura gouldiae</i>	Spinifex pigeon	<i>Geophaps plumifera</i>
Little button-quail	<i>Turnix velox</i>	Squatter pigeon (northern)	<i>Geophaps scripta peninsulae</i>
Little corella	<i>Cacatua sanguinea</i>	Turquoise parrot	<i>Neophema pulchella</i>
Little lorikeet	<i>Parvipsitta pusilla</i>	Varied lorikeet	<i>Psittuteles versicolor</i> (<i>Trichoglossus versicolor</i>)
Long-billed corella (eastern)	<i>Cacatua tenuirostris</i>	Western rosella (coastal, south-west, green-backed)	<i>Platycercus icterotis icterotis</i>
Mallee Ringneck	<i>Barnardius zonarius barnardi</i>	White-headed pigeon	<i>Columba leucomela</i>
Northern rosella	<i>Platycercus venustus</i>	White-quilled rock-pigeon	<i>Petrophassa albipennis</i>
Painted button-quail	<i>Turnix varius varius</i>	Wonga pigeon	<i>Leucosarcia melanoleuca</i>
Pale-headed rosella	<i>Platycercus adscitus</i>	Yellow rosella	<i>Platycercus elegans flaveolus</i>
Pied imperial-pigeon	<i>Ducula bicolor</i>	Yellow-rumped mannikin	<i>Lonchura flaviprymna</i>
Plum-headed finch	<i>Neochmia modesta</i>		
REPTILES			
Binoe's gecko	<i>Heteronotia binoei</i>	Short-tailed pygmy monitor	<i>Varanus brevicauda</i>
Banded knob-tailed gecko	<i>Nephurus wheeleri</i>	South-West crevice egernia	<i>Egernia napolensis</i>
Black-headed python	<i>Aspidites melanocephalus</i>	South-West spiny tailed gecko	<i>Strophurus spinigerus</i>
Black-tailed monitor	<i>Varanus tristis tristis</i>	South-Western carpet python	<i>Morelia spilota imbricata</i>
Bobtail	<i>Tiliqua rugosa rugosa</i>	Steindachner's snake-necked turtle	<i>Chelodina steinachneri</i>
Centralian bluetongue	<i>Tiliqua multifasciata</i>	Stimson's python	<i>Antaresia stimsoni</i>
Children's python	<i>Antaresia childrenii</i>	Stripe-tailed pygmy monitor	<i>Varanus caudolineatus</i>
Friilled lizard	<i>Chlamydosaurus kingii</i>	Thick-tailed gecko	<i>Underwoodisaurus millii</i>
Green tree snake	<i>Dendrelaphis punctulatus</i>	Three-lined Knob-tailed gecko	<i>Nephurus levis</i>
King skink	<i>Egernia kingie</i>	Tree dtella	<i>Gehrya variegata</i>
Long-nosed ta-ta dragon	<i>Lophognathus longirostris</i>	Water python	<i>Liasis mackloti/ Liasis fuscus</i>
Northern blue-tongued skink	<i>Tiliqua scincoides intermedia</i>	Western bearded dragon	<i>Pogona minor minor</i>
Northern spiny tailed gecko	<i>Strophurus ciliaris</i>	Western bluetongue	<i>Tiliqua occipitalis</i>
Northwest carpet python	<i>Morelia spilota varigata</i>	Western marbled velvet gecko	<i>Oedura fimbria</i>
North-western red-faced turtle	<i>Emydura victoriae</i>	Western netted dragon	<i>Ctenophorus reticulatus</i>
Oblong tortoise	<i>Chelodina oblonga</i>	Woma python	<i>Aspidites ramsayi</i>
Pygmy python	<i>Antaresia perthensis</i>		
Ridge-tailed monitor	<i>Varanus acanthurus</i>		

TABLE 3

ADVANCED – CATEGORY C SPECIES			
AMPHIBIANS			
<i>No species listed</i>			
BIRDS			
Australian Eclectus parrot	<i>Eclectus roratus macgillivrayi</i>	Muir's corella	<i>Cacatua pastinator pastinator</i>
Baudin's cockatoo	<i>Calyptorhynchus baudinii</i>	Naretha parrot, Naretha blue bonnet	<i>Northiella narethae</i>
Black-throated finch (southern, white-rumped)	<i>Poephila cincta cincta</i>	Northern red-tailed black cockatoo	<i>Calyptorhynchus banksii macrorhynchus</i>
Carnaby's cockatoo	<i>Calyptorhynchus latirostris</i>	Partridge pigeon (eastern)	<i>Geophaps smithii smithii</i>
Crimson finch (white-bellied)	<i>Neochmia phaeton evangelinae</i>	Partridge pigeon (western)	<i>Geophaps smithii blaauii</i>
Eastern coastal red-tailed black cockatoo	<i>Calyptorhynchus banksii banksia</i>	Regent parrot (eastern)	<i>Polytelis anthopeplus monarchoides</i>
Forest red-tailed black cockatoo	<i>Calyptorhynchus banksii naso</i>	South-eastern red-tailed black cockatoo	<i>Calyptorhynchus banksii graptogyne</i>
Gang-gang cockatoo	<i>Callocephalon fimbriatum</i>	Squatter pigeon (southern)	<i>Geophaps scripta scripta</i>
Glossy black-cockatoo	<i>Calyptorhynchus lathami</i>	Sulphur-crested cockatoo	<i>Cacatua galerita</i>
Golden-shouldered parrot	<i>Psephotus chrysopterygius</i>	Superb parrot	<i>Polytelis swainsonii</i>
Green rosella	<i>Platycercus caledonicus</i>	Swift parrot	<i>Lathamus discolor</i>
Hooded parrot	<i>Psephotus dissimilis</i>	Western rosella (inland, wheatbelt, red-backed)	<i>Platycercus icterotis xanthogenys</i>
Inland red-tailed black cockatoo	<i>Calyptorhynchus banksii samueli</i>	Yellow-tailed black cockatoo	<i>Calyptorhynchus funereus</i>
Major Mitchell's cockatoo	<i>Lophochroa leadbeateri (Cacatua leadbeateri)</i>		
REPTILES			
Brown tree snake *	<i>Boiga irregularis</i>	Pilbara death adder *	<i>Acanthopis wellsi</i>
Desert death adder *	<i>Acanthopis pyrrhus</i>	Rough scaled python	<i>Morelia carinata</i>
Dugite *	<i>Pseudonaja affinis affinis</i>	Southern death adder *	<i>Acanthopis antarcticus</i>
Gould's monitor *	<i>Varanus gouldi</i>	Southern heath monitor *	<i>Varanus rosenbergi</i>
Gwardar *	<i>Pseudonaja nuchalis</i>	Spotted mulga snake *	<i>Pseudechis butleri</i>
Mulga snake *	<i>Pseudechis australis</i>	Tiger snake *	<i>Notechis scutatus</i>
Olive python *	<i>Liasis olivaceus</i>	Yellow-faced whip snake *	<i>Demansia psammophis</i>
Note: Species denoted with an asterisk (*) are classified as dangerous (specific conditions may apply)			